CECHIERA

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	OCT	9	1990			
Returned to applicant for correction	NOV	14	1990			
Corrected application filed	DEC	21	1990	Map filed	DEC 21 1990	
The applicant Lucille Peterso	n 					
345 Juniper Hill Road Street and No. or P.O. Box No.			of	Reno	City or Town	
					pplication for permission to change the	
Point of diversion and place					•	
of water heretofore appropriated under	Identif	y existi	ng right by	Permit, Certificate, P	roof or Claim Nos. If Decreed, give title of Decree and	
identify right in Decree.					***************************************	
					•	
1. The source of water is underground	ınd	Name	of stream, l	ake, underground spri	ng or other source.	
2. The amount of water to be changed	0.45	CFS,	80.0	acre feet a	innually	
Onasi-Mu	nicin:	al a	nd Dom	estic		
•	irigation, p	O.O., 1.	mung, mos	J. 141, D.D. 11 101 111101	state number and kind of animals.	
4. The water heretofore permitted for						
5. The water is to be diverted at the follow						
M.D.B.&M. From which the Nor distance to a section corner. If on unsurveyed land, it s	thwes	t co	rner c	f said sect	ion bears N 02 ⁰ 55' E	
a distance of 1,271 Feet.	************		~~~			
6. The existing permitted point of diversion	on is loc	ated v	within	NW NE Sec	tion 17, T19N, R18E,	
M.D.B.&M., or at a point fro				•	• •	
N 75 ⁰ 24'17"W 1,219.80 feet.						
7. Proposed place of use Portions of	of the Describe by	NW ¼ legal su	, $W^{\frac{1}{2}}$ Nobdivisions.	$E^{\frac{1}{4}}$, $NW^{\frac{1}{4}}$ $SE^{\frac{1}{2}}$ If for irrigation state	number of acres to be irrigated.	
15, T19N, R18E, M.D.B and M.	; NW 4	, W ¹ / ₂	NE¼ c	f Section 1	LO, T19N, R18E,	
M.D.B.and M.; Portions of the (Approx. 451 acres of reside	ential	lan	d and	1/.5 acres	of Office/Industrial land)	
8. Existing place of use Portions of Describe by le	E NW 4	NE 4	Section Securities for	on 17, T19N, or irrigation, state nu	, R18E, M.D.B.&M. nber of acres irrigated. If changing place of use and/or	
(Thirteen Acres) and portion NE¼ NE¼ section 17 T19N R18E MDB&M manner of use of irrigation permit, describe acreage to be removed from irrigation.						
9. Use will be from January 1 Month an			to	Decembe	er 31of each year.	
10. Use was permitted from Januar	onth and Da	ay		to	Month and Day	
11. Description of proposed works. (Unde	-			_		
specifications of your diversion or stora	ige work	s.)	Well,	Steel tan	k reservoir, which water is to be diverted, i.e. diversion structure,	
transmission mains, water diditches, pipes and flumes, or drilled well, etc.					······································	
12. Estimated cost of works Partial	ly exi	stin	g, \$10	00,000 to co	omplete	
13. Estimated time required to construct we	orksal	exis	ting o	cased well v	with pump, to complete approximately 5 years.	

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual

14. Estimated time required to complete the application of water to beneficial use.....

consumptive use:

5 years

This application applies to 80.0 acre feet (26.06	8 million gallons)
annually. Proposed use will include: 17.5 acres	of office/industrial
development and not more than 150 single family d 17.5 acres of office/industrial land also use wat No. 39291.	
Bys/ Erik Bey	er on Ave., Suite 'A'
Compared ab/se ab/se Reno, Ne	on Ave., Suite !A' vada 89502
Protested	
APPROVAL OF STATE ENGINEE	CR .
following limitations and conditions: This permit to change the point of diversion and place the waters of an underground source as heretofore grant issued subject to the terms and conditions imposed in said landerstanding that no other rights on the source will be proposed herein. The well shall be equipped with a 2-inch meter must be installed and maintained in the discharge produced in the discharge provided in the discharge p	ted under Permit 35112 is Permit 35112 and with the be affected by the change opening and a totalizing ipeline near the point of laced to beneficial use. he water begins or before flowing, a valve must be is located within an area 0. The State retains the
designated by the State Engineer pursuant to NRS 534.030 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required obtain other permits from State, Federal and local again the well must be sealed with cement grout, concrete of the sealed with cement grout, concrete or the sealed with cement grout.	of ingress and egress on uirements that the permit encies.
designated by the State Engineer pursuant to NRS 534.030 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required obtain other permits from State, Federal and local age. The well must be sealed with cement grout, concrete ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be a sealed with the amount which can be a sealed wit	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to
designated by the State Engineer pursuant to NRS 534.030 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required obtain other permits from State, Federal and local age The well must be sealed with cement grout, concrete ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. 0.06 cubic feet per second but	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10
designated by the State Engineer pursuant to NRS 534.030 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required of the remaining of the permits from State, Federal and local age. The well must be sealed with cement grout, concrete of ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. 0.06 cubic feet per second. but acre-feet annually.	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required obtain other permits from State, Federal and local age. The well must be sealed with cement grout, concrete or ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required of the regulation of the permits from State, Federal and local again the well must be sealed with cement grout, concrete of ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. 0.06 cubic feet per second. but acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1992
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required and a second contract of the required and the permits from State, Federal and local again the well must be sealed with cement grout, concrete of ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. O.06 cubic feet per second but acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1992 July 15, 1994
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required and other permits from State, Federal and local again the well must be sealed with cement grout, concrete of ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. O.06 cubic feet per second but acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1994 August 15, 1994 August 15, 1994
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required and a second contract of the required and the permits from State, Federal and local again the well must be sealed with cement grout, concrete of ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. O.06 cubic feet per second but acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1994 August 15, 1994 August 15, 1994
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required nother permits from State, Federal and local again the well must be sealed with cement grout, concrete ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1992 July 15, 1994 August 15, 1994 N/A R. MICHAEL TURNIPSEED, P.E
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required notder obtain other permits from State, Federal and local age. The well must be sealed with cement grout, concrete ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. O.06 cubic feet per second , but acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before. Application of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before. Map in support of proof of beneficial use shall be filed on or before. Completion of work filed. IN TESTIMONY WHEREOF, I, State Engineer of Nevada, hav Proof of beneficial use filed.	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1994 August 15, 1994 N/A R. MICHAEL TURNIPSEED, P.E we hereunto sct my hand and the seal of my
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required notder obtain other permits from State, Federal and local age. The well must be sealed with cement grout, concrete or ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1994 August 15, 1994 N/A R. MICHAEL TURNIPSEED, P.E. We hereunto sct my hand and the seal of my
designated by the State Engineer pursuant to NRS 534.036 right to regulate the use of the water herein granted at any This permit does not extend the permittee the right public, private or corporate lands. The issuance of this permit does not waive the required and other permits from State, Federal and local age and the well must be sealed with cement grout, concrete ground level to 100 feet. The amount of water to be changed shall be limited to the amount which can be exceed. O.06 cubic feet per second but acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before. Application of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before. Completion of work filed. IN TESTIMONY WHEREOF, I, State Engineer of Nevada, hav office, this	of ingress and egress on uirements that the permit encies. grout or neat cement from applied to beneficial use, and not to not to exceed 10 July 15, 1992 August 15, 1994 August 15, 1994 N/A R. MICHAEL TURNIPSEED, P.E. We hereunto sct my hand and the seal of my

AMENDED

ASSIGNEDSerial No. 5 5 3 5 4

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 0 9 1990
Returned to applicant for correction
Corrected application filed DEC 21 1990 Map filed DEC 21 1990
The applicant Lucille Peterson .
Street and No. or P.O. Box No. City or Town
State and Zip Code No.
Point of diversion, manner of use, and/or place of use
of water heretofore appropriated under. Permit No. 35112 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.
1. The source of water is
0.45 CES 80.0 acro foot annually
Quasi-Municipal and Domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. 4. The water heretofore permitted for Quasi-Municipal and Domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. 4. The water heretofore permitted for Trigation, power, mining, industrial, etc. If for stock state number and kind of animals.
9
5. The water is to be diverted at the following point. NE¼ NE¾ of Section 16, T19N, R18E, Describe as being within a 40-acre subdivision of public survey and by course and M.D.B.&M. From which the Northwest corner of said section bears N 02 ⁰ 55' E
distance to a section corner. If on unsurveyed land, it should be stated. a distance of 1,271 Feet.
6. The existing permitted point of diversion is located within NW4 NE4 Section 17, T19N, R18E, If point of diversion is not changed, do not answer.
M.D.B.&M., or at a point from which the N½ corner of said section 17 bears,
N 75 ⁰ 24' 17" W 1,219.80 feet.
7. Proposed place of use Portions of the NW4, W½ NE4, NW4 SE4, NE4 SW4 of Section 15, T19 R18E, M.D.B and M.; NW4, Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
씨물 NE물 of Section 10, T19N, R18E, M.D.B. and M.; Portions of the 단물 NE물, of Section 16, T19N, R18E, M.D.B. and M. (Approx. 451 acres of residential land an
17.5 acres of office/industrial land)
8. Existing place of use Portions of NW4 NE4 Section 17, T19N, R18E, M.D.B & M. Describe by logal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
(Thirteen Acres) and portion NE4 NE4 section 17 T19N R18E MDB&M manner of use of irrigation permit, describe acreage to be removed from irrigation.
······································
9. Use will be from January 1 to December 31 of each year. Month and Day Month and Day
10. Use was permitted from January 1-2 to December 31 of each year. Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Well, Steel tank reservoir, transmission State manner in which water is to be diverted, i.e. diversion structure,
mains, water distribution mains. ditches, pipes and flutnes, or drilled well, etc.
12. Estimated cost of works Partially existing, \$100,000 to complete
13. Estimated time required to construct works existing cased well with pump, to complete all works will require approximately 5 years.

14. Estimated time required to complete the application of water to beneficial use	<u> </u>
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served consumptive use:	
This application applies to 80.0 acre feet (26.068 million gallons) annu	ually,
Proposed use will include: 17.5 acres of office/industrial development	and
not more than 150 single family dwellings. Portions of the 17.5 acres of	office/
industrial land also use water appropriated by Permit No. 39291.	
By s/Erik Beyer 520 Edison Ave. Suite 'A'	h
Compared bc/bc am/se Reno, Nevada 89502	
Protested	
APPROVAL OF STATE ENGINEER	
This is to certify that I have examined the foregoing application, and do hereby grant the same, sub	icat to the
the waters of an underground source as heretofore granted under Permit issued subject to the terms and conditions imposed in said Permit 35112 and understanding that no other rights on the source will be affected by the proposed herein. The well shall be equipped with a 2-inch opening and a tometer must be installed and maintained in the discharge pipeline near the diversion and accurate measurements must be kept of water placed to benefice the totalizing meter must be installed before any use of the water begins of the proof of completion of work is filed. If the well is flowing, a valve installed and maintained to prevent waste. This source is located within designated by the State Engineer pursuant to NRS 534.030. The State regright to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and expublic, private or corporate lands. The issuance of this permit does not waive the requirements that the holder obtain other permits from State, Federal and local agencies. The well must be sealed with cement grout, concrete grout or neat cent ground level to 100 feet.	with the ne change otalizing point of ial use. or before e must be n an areatains the egress on the permit
The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, exceed	cre-
Work must be prosecuted with reasonable diligence and be completed on or before July 15.	
Proof of completion of work shall be filed before	
Application of water to beneficial use shall be made on or before	
Proof of the application of water to beneficial use shall be filed on or before August 15. Map in support of proof of beneficial use shall be filed on or before N/A	
wap in support of proof of beneficial use shall be filed on or before	<u></u>
Completion of work filed IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPS State Engineer of Nevada, have hereunto set my hand and the	=
Proof of beneficial use filed	
Cultural map filed A.D. 1992	······
Certificate NoIssued	? ~ C .
Abros del By 59608 0.06 State	: Engincer